

Item	Picture	Parameter	Features	Packing
SLL-221 Solar Lawn Lamp		<p>LED light source: SMD5050 1LED/0.2W 3000K warm light Solar panel: Mono 2V/0.5W Battery: 1.2V/900mAh AA NI-MH battery Control mode: Switch button control, high light--low light--breathing mode--off Beam angle: 120 degrees Charge time : 6-8 hours Working time: Breathing mode 15hrs/ Low light 17hrs/ High light 10hrs Lumens: High light 15lm , Low light 10lm Product size : φ116*H485mm Material &amp; color: ABS Black</p>	<ol style="list-style-type: none"> <li>1. No need electricity, no wiring, solar photovoltaic green energy, low voltage, safe and secure.</li> <li>2. Mono 0.5W solar panel, intelligent light control, charging during the day and automatically light up at night.</li> <li>3. Four-gear switch control modes: High light--Low light--Breathing mode--Off.</li> <li>4. Built-in removable 900mAh NI-MH battery, long lighting time.</li> <li>5. Super bright LED, very nice decorative effect with strip ring shaped glowing pattern.</li> <li>6. Three spikes, simple structural design for the whole lamp.</li> <li>7. Overvoltage and overcurrent protection, safety circuits, stable quality.</li> <li>8. Exquisite streamlined structure, our own exclusive design, patented product.</li> </ol>	<p>(4 pieces packed in one box) Inner Box: 220*140*150mm G.W. : 0.9kg QTY/CTN: 16 boxes/64pcs Outer Carton:58.5*46*32cm G.W. : 15.5kg Solar lamp*4 Lampshade*4 Spike: 3pcs*4 Manual*1</p>
SLL-181 Solar Lawn Lamp		<p>LED chip: 0.5W, 3000K/6000K Solar panel: DC6V 0.7W polycrystalline Battery: 3.7V 1500mAh Lighting control: PIR sensor + light sensor Angle: 120° Sensing distance: 3-5m Delay time: 20-22 seconds Charging time: 6-8H Working time: High brightness10-12H, weak brightness100-120H Product size: φ106*H618.5mm Material: ABS + PC</p>	<ol style="list-style-type: none"> <li>1. Wireless solar garden decoration light.</li> <li>2. DC6V safe voltage.</li> <li>3. PIR sensor + light sensor.</li> <li>4. Convenient package detachable spike.</li> <li>5. Fashion streamline shape.</li> </ol>	<p>(2 pieces packed in one box) Inner Box: 218*140*110.5mm G.W. : 0.6kg 20SETS/40PCS Outer Carton: 45*29.5*57.5cm G.W. : 13kg Solar Light*2 Spike*6 User Manual*1</p>

<p>SSL-201 Multi- function Solar Lawn Lamp/Solar Lantern/Sol ar wall light</p>		<p>LED light source: SMD2835 (DW+WW CCT) 24PCS/5W Solar panel: 6V/1.5W Mono Battery: 3.7V/2200mAh 18650 Li-ion Function control mode: light sensor+switch button control (High white light--Low white light--High warm light--Low warm light) Beam angle: 120 degrees Charge time: 6-8hrs Working time:11hrs (high brightness), 22hrs(low brightness) Lumens: 500lm (max.), 250lm(min.) Product size: 180*703mm Material&amp;color: ABS/black</p>	<p>1. 3IN1 multi-purpose: can be a garden light, wall lamp, corridor light, a portable camping light, easy installation and various application. 2. 24LEDs with 2 light colors, creative lampshade, 4 ground stakes to meet different requirements of installation height. 3. 1.5W mono solar panel with concealed folding handle, intelligent light control, charging during the day and auto ON at night. 4. Built-in 2200mAh lithium battery, removable and replaceable, very convenient, long working time. 5. Switch botton to control light modes like this: High white light--Low white light--High warm light--Low warm light. Adjustable CCT and brightness for different needs and application. 6. Over-voltage and over-current intelligent safety circuit, stable and reliable quality. IP65 waterproof, patented product.</p>	<p>(2 pieces packed in one box) Inner box size: 280*135*160mm G.W./box: 1.05kg QTY/CTN: 12 boxes/24pcs Master carton size: 56*29.5*50cm G.W./CTN: 13.5kg Solar lamp*2 Mounting accessories&amp; spike*8 Screw bag*1 Manual*1</p>
<p>SSL-213 Solar Spot Light (wide angle)</p>		<p>LED light source: SMD2835 (DW+WW CCT) 26PCS/5W Solar panel : 6V/1.5W Battery : 3.7V/2200mAh 18650 lithium battery Function control mode : light sensor+switch control(Bright DW-Low-light level DW-Bright WW-Low-light level WW, 4 modes) Beam angle : 120° 180 degree adjustable spotlight. Charge time : 6-8hrs Working time : 7hrs at bright mode , 14hrs at low-light level Lumen:250-500lm Product size : 291*315mm Material&amp;color : ABS/ black</p>	<p>1. No need AC electricity, solar green energy, 6Vsafe voltage. 2. Spotlight with 26LEDs,up&amp;down 180 degree adjustable. 3.1.5W solar panel, ingrated structure desgin, smart light sensor,charge during the day and auto ON at night. 2200mAh lithium battery,replaceable for longer working time. 4.Switch control with 4 modes : Bright DW-Low-light level DW-Bright WW-Low-light level WW,2 light colors in one lamp and adjutable brightness for more application and lighting needs. 5.Foldable structure can be packed in a small box to save shipping cost,IPX5 waterproof rating. 6.Over-voltage and over-current intelligent safety circuit, stable and reliable quality. 7.Easy installation, fixed on wall or inserted into ground are optional,unique design, patent product.</p>	<p>(2 pieces packed in one box) Inner box size : 250*190*100mm G.W/box : 0.77kg QTY/CTN : 15 sets/30pcs Carton size : 58.5*52.5*28cm G.W/CTN : 13kg Solar light*2 Spike*2 Screw bag*1 User manual*1</p>

<p>SSL-203 Solar Spot Light</p>		<p>LED chip: 5pcs SMD2835, 2W, 3000K/6000K Solar panel: DC6V 1.5W polycrystalline Battery: 3.7V 2600mAh 18650 lithium battery Lighting control: Light sensor + button dimmer Angle: 30° Charging time: 6-8Hrs Working time: 15Hrs(100% brightness), 20Hrs(75% brightness), 30Hrs(50% brightness) Product size: L283*H315*mm Material: ABS</p>	<ol style="list-style-type: none"> <li>1. DC6V safe voltage environmentally friendly wireless solar powered lamp.</li> <li>2. 1.5W high efficient monocrystalline silicon solar panel.</li> <li>3. Button dimmer "100% - 75% - 50% - off/on" + light sensor (Lamp automatically charges on the daytime and works at night).</li> <li>4. IP65 waterproof solar panel integrated spotlight can be adjusted with multi-angle.</li> <li>5. Two installation ways: wall mounted + ground inserted.</li> <li>6. Built-in high quality long working time 2600mAh rechargeable Lithium battery.</li> <li>7. High brightness &amp; long distance lighting, anti-glare private design spotlight.</li> <li>8. High quality spotlight with overvoltage and overcurrent safe stable electricity.</li> <li>9. Innovative appearance, unique patent product.</li> </ol>	<p>(2 pieces packed in one box) Inner Box: 250*190*100mm G.W. : 0.77kg 15SETS/30PCS Outer Carton: 58.5*52.5*28cm G.W. : 13kg Spotlight*2 Spike*2 Screw bag*1 User Manual*1</p>
<p>SSL-203 Solar Spot Light (RGB)</p>		<p>LED chip: 5pcs SMD3838, 2W, RGB Solar panel: DC6V 1.5W monocrystalline Battery: 3.7V 2600mAh 18650 lithium battery Lighting control: Light sensor + button dimmer Angle: 30° Charging time: 6-8Hrs Working time: 15-30Hrs Product size: L283*H315*mm Material: ABS</p>	<ol style="list-style-type: none"> <li>1. DC6V safe voltage environmentally friendly wireless solar powered lamp.</li> <li>2. 1.5W high efficient monocrystalline silicon solar panel.</li> <li>3. Dimming modes: RGB-Red-Green-Blue-Yellow-White-OFF/ON" + light sensor (Lamp automatically charges on the daytime and works at night).</li> <li>4. IP65 waterproof solar panel integrated spotlight can be adjusted with multi-angle.</li> <li>5. Two installation ways: wall mounted + ground inserted.</li> <li>6. Built-in high quality long working time 2600mAh rechargeable Lithium battery.</li> <li>7. High brightness &amp; long distance lighting, anti-glare private design spotlight.</li> <li>8. High quality spotlight with overvoltage and overcurrent safe stable electricity.</li> <li>9. Innovative appearance, unique patent product.</li> </ol>	<p>(2 pieces packed in one box) Inner Box: 250*190*100mm G.W. : 0.77kg 15SETS/30PCS Outer Carton: 58.5*52.5*28cm G.W. : 13kg Spotlight*2 Spike*2 Screw bag*1 User Manual*1</p>

<p>SSL-193 Solar Spot Light Sets 2in1</p>		<p>Lamp power: 1.5W*2=3W/300lm LED chip: Epistar SMD2835 3000K/6000K 5pcs*2=10pcs Solar panel: DC6V/3W 179*154*27mm Battery: 3.7V 3600mAh Charging time: 6-8H Mode: Brightness of 100%-75%-50% Working time: 12Hrs(100% brightness), 18Hrs(75% brightness), 30Hrs(50% brightness) Product size: <math>\phi</math>65*58*104mm *2 Cable: 0.2M (main line) + 3M(two sub-lines) Product color: Black ABS + Acrylic Waterproof rate: IP65</p>	<ol style="list-style-type: none"> <li>1. Wireless no plug installed convnient energy saving solar spotlight.</li> <li>2. DC6V safe voltage powered by solar(friendly energy).</li> <li>3. 3W high efficient monocrystalline silicon solar panel.</li> <li>4. Light sensor with two button dimmer(it can be charged on the daytime and working at night automatic).</li> <li>5. Wall installed&amp;ground inserted solar panel with 3m long waterproof cable.</li> <li>6. Built-in high quality long working time 3600mAh rechargeable Lithium battery.</li> <li>7. Each spotlight has 5leds, there are good light lens and anti-glare design, high brightness and long distance lighting</li> <li>8. High quality spotlight with overvoltage and overcurrent safe stable electricity</li> <li>9. Innovative appearance, unique patent products.</li> </ol>	<p>Inner Box: 215*176*92mm G.W. : 0.8kg 16pcs/CTN Outer Carton: 44*38.5*37cm G.W. : 14kg Spotlight*2 Solar Panel*1 Spike*3 Screw*9 User Manual*1</p>
<p>SSL-193 Solar Spot Light Sets 2in1(RGB)</p>		<p>Lamp power: 1.5W*2=3W/300lm LED chip: Epistar SMD2835 RGB 5pcs*2=10pcs Solar panel: DC6V/3W 179*154*27mm Battery: 3.7V 3600mAh Charging time: 6-8H Mode: Brightness of 100%-75%-50% Working time: 12Hrs(100% brightness), 18Hrs(75% brightness), 30Hrs(50% brightness) Product size: <math>\phi</math>65*58*104mm *2 Cable: 0.2M (main line) + 3M(two sub-lines) Product color: Black ABS + Acrylic Waterproof rate: IP65</p>	<ol style="list-style-type: none"> <li>1. Wireless no plug installed convnient energy saving solar spotlight.</li> <li>2. DC6V safe voltage powered by solar(friendly energy).</li> <li>3. 3W high efficient monocrystalline silicon solar panel.</li> <li>4. Light sensor with 5 color modes: Red-green-blue-yellow-white (it can be charged on the daytime and working at night automatic).</li> <li>5. Wall installed&amp;ground inserted solar panel with 3m long waterproof cable.</li> <li>6. Built-in high quality long working time 3600mAh rechargeable Lithium battery.</li> <li>7. Each spotlight has 5leds, there are good light lens and anti-glare design, high brightness and long distance lighting</li> <li>8. High quality spotlight with overvoltage and overcurrent safe stable electricity</li> </ol>	<p>Inner Box: 215*176*92mm G.W. : 0.8kg 16pcs/CTN Outer Carton: 44*38.5*37cm G.W. : 14kg Spotlight*2 Solar Panel*1 Spike*3 Screw*9 User Manual*1</p>

<p>SSL-202 Solar Wall Light</p>		<p>LED chip: 32pcs SMD2835 / 10W 6000K Solar panel: DC6V /1.5W Polycrystalline Battery: 3.7V/1500mAh 18650 lithium battery Lighting control: Light sensor + PIR Sensor(high brightness and weak brightness) Angle: 120° (adjustable at all direction) Charging time: 6-8Hrs Working time: 5Hrs(high brightness), 80Hrs(low brightness) Lumen: 560LM(High brightness), 45LM(Low brightness) Product size: 290*88*28mm Material: Black ABS</p>	<ol style="list-style-type: none"> <li>1. DC6V safe voltage environmentally friendly wireless solar powered lamp.</li> <li>2. 1.5W high efficient polycrystalline silicon solar panel.</li> <li>3. Photosensitive control+PIR sensing modes, automatic smart control, charge during the day, and discharge in the evening. When motion is detected in the evening, automatically enter into bright light mode, when people leave, after 22 seconds, it will automatically convert to weak light mode.</li> <li>4. IP65 waterproof solar panel integrated spotlight can be adjusted with multi-angle.</li> <li>5. Built-in 1500mAh Lithium battery.</li> <li>6. 32pcs high-brightness light sources, high brightness, large lighting angel and wide irradiation area.</li> <li>7. High quality spotlight with overvoltage and overcurrent safe stable electricity.</li> <li>8. Streamlined body, innovative appearance, unique patent product.</li> </ol>	<p>(2 pieces packed in one box) Inner Box: 300*70*100mm G.W. : 0.62kg 20SETS/40PCS Outer Carton: 38*31.5*42cm G.W. : 13.5kg Spotlight*2 Mounting bracket*2 Screw bag*1 User Manual*1</p>
---	--	--	--	--

<p>SSL-211 3-head Solar Wall Light</p>		<p>LED light source: SMD2835 6000K white light, 113LEDs/10W Solar panel: Mono 6V/1.5W Battery: 3.7V/2200mAh 18650 lithium Control mode: Sensor control+switch button control +remote control Beam angle: 120 degrees, PIR remote control 8-10 meters. Charge time: 6-8 hours Working time: 4hrs at high light mode ( lighting for 22 seconds at a time, 20 hrs at low light mode). Lumens: 400lm (high light mode), 100lm (low light mode) Product size: L270*W127*H123mm Material&amp;color : ABS Black+PC transparent</p>	<ol style="list-style-type: none"> <li>1. Creative structural design with 3 heads shape, irradiation direction and angle of each part can be adjusted and rotated, foldable in a smaller package to save shipping cost.</li> <li>2.113LEDs, super bright, wide lighting area.</li> <li>3. Mono solar panel 1.5W, 4 directions can be adjusted angle to get full sunlight, intelligent light control, charging during the day and lights up automatically at night.</li> <li>4.Built-in 2200mAh lithium battery, removable and replaceable for longer working time.</li> <li>5.PIR motion sensor, 3 modes available for switch button control and remote control. (Mode 1: The lamp lights up at high light mode when people come to it and goes out when people leave. Mode 2: The lamp lights up at high light mode when people come to it and becomes dim when people leave. Mode 3: Steady light. Continuous low light mode, PIR sensing function is off.after lighting for 4hrs,it will automatically switch to Mode 1). 3 lighting modes to meet different needs.</li> <li>6. Intelligent overvoltage and overcurrent safety circuit, IP65 waterproof, reliable and stable quality, exclusive product.</li> </ol>	<p>(2 pieces packed in one box) Inner box size: 353*120*103mm G.W./box : 0.87kg QTY/CTN: 16 boxes/32pcs Master carton size: 50*36.5*43.2cm G.W./CTN: 14.5kg Solar lamp*2 Mounting bracket*2 Screw bag*1 Remote control*1 Manual*1</p>
<p>SSL-192 Solar multi- function Light</p>		<p>LED chip: 6W, 6000K/3000K/red Solar panel: 6V 1W monocrystalline Battery: 3.7V/4400mAh lithium battery Working time: spotlight (strong) for 7hrs, spotlight (weak) for 20hrs, flood light for 30hrs, flash light (red) for 100hrs Brightness: spotlight (strong) 350lm, spotlight (weak)150lm, flood light150lm, flash light 100lm USB input/output: :5V2A/5V2.1A DC charging time: 3hours Product size: 187*119**36mm Shell color: black + orange Material: ABS + silicone</p>	<ol style="list-style-type: none"> <li>1. 4 functions in one lamp (power bank+ portable working light+ warning help light+ integrated solar panel)</li> <li>2. Quick charging and discharging power bank with DC5V/2.1A large current.</li> <li>3. 360° rotating bracket with strong magnet, lamp can be put anywhere easliy.</li> </ol>	<p>Inner Box: 185*120*37mm G.W. : 0.4kg 32pcs/CTN Outer Carton: 39*31*26cm G.W. : 14kg Work Light*1 USB Cable*1 User Manual*1 Hanging buckle*1</p>